

# KOMO<sup>®</sup> Product certificate **K-0208734-2**



Issued	2023-05-01	Replaces	K-0208734/01
Valid until	Indefinite	Dated	2023-01-11
Page	1 of 3		

Steel for reinforcement of concrete B500B: bars

# **Qatar Steel Company (QPSC)**

### STATEMENT BY KIWA

This product certificate is based on Guideline/BRL 0501 "Steel for the reinforcement of concrete" (Betonstaal)" dated 01 September 2010 inclusive amendment sheet dated 12 December 2018, issued according to the Kiwa-Regulation for Certification.

The quality system and the product characteristics of this product are checked periodically. Based on this, **Kiwa declares that** there is legitimate confidence that:

Upon delivery, the product supplied by the certificate holder meets the requirements:

- Of the technical specifications laid down in this product certificate,
- The product requirements laid down in the Guideline/BRL 0501.

Provided the product is accompanied by the KOMO<sup>®</sup> quality mark in the manner set out in this product certificate.

٠

•

Ron Scheepers Kiwa

Kiwa Nederland B.V. Sir Winston Churchilllaan 273 Postbus 70 2280 AB RIJSWIJK The Netherlands Tel. +31 88 998 44 00 info@kiwa.nl www.kiwa.nl



This product certificate is also included on the KOMO foundation websites: www.komo.nl and www.komo-online.nl. Users of this product certificate is advised to check whether it is still valid. For this purpose consult the website of Kiwa: www.kiwa.nl.

Certificate holder Qatar Steel Company (QPSC) Mesaieed Industrial City PO BOX 50090 QATAR Tel. 974 4 4778778 arafat@qatarsteel.com.qa www.qatarsteel.com.qa

> Assessed is: • Quality system

Product

Product
 Periodic control

# KOMO<sup>®</sup> Product certificate

page 2 of 3

### Steel for the reinforcement of concrete B500B: bars

### 1 TECHNICAL SPECIFICATION

This product certificate relates to the product characteristics of Steel for the reinforcement of concrete, B500A/B/C: (bars) The products are intended for use in concrete structures.


The following products are covered by this product certificate:

Classification	: B500B
Production method	: Hot rolled / water cooled
Nominal size	: 10 – 12 – 14 – 16 – 20 – 25 – 28 – 32 and 40 mm
Delivery condition	: bars

### 2 QUALITY MARK AND INDICATIONS PLACED ON THE PRODUCTS

The products are marked with a label with upon it at least on a clear and indelible way:

 The KOMO<sup>®</sup> indication or the KOMO<sup>®</sup> quality mark followed by the certificate number. The official KOMO quality mark is shown and executed as follows:





- The classification B500B
- BRL 0501
- Diameter
- The rolling mark
- Production code (heat number / cast number / coil number) or production date
- Factory brand or factory name

At least one label per coil / bundle of bars / package of welded fabrics is required.

Steel for the reinforcement of concrete is marked on the following way: On one rib row by means of thickened ribs, with the code (9-74)

Position of the rolling mark: at intervals of ± 1 m. The position of the transverse ribs may also be reversed.





#### 3 PRODUCT CHARACTERISTICS

The product meets the product characteristics as laid down in Guideline/BRL 0501.

#### 4 TIPS FOR THE USER

Check on delivery of the products listed under the "technical specification" whether:

- The product(s) and material(s) ordered are delivered in accordance with the agreement you made.
- The brand and the method of marking is correct
- No defects or damage is visible (for example, resulting from the transportation).



# KOMO<sup>®</sup> Product certificate

page 3 of 3

### Steel for the reinforcement of concrete B500B: bars

If on the basis of the foregoing you decide to proceed to rejection, please contact

Qatar Steel Company (QPSC)

And if necessary,

• Kiwa Nederland B.V.

Consult NEN-EN 13670 for the correct method of storage, transport and processing.

Consult the website www.kiwa.nl to check whether this product certificate is still valid.

#### LIST OF DOCUMENTS

NEN 6008: BetonstaalNEN-EN 13670: Het vervaardigen van betonconstructies

\* For the actual version of the standards see the latest version of the BRL 0501 or latest amendment sheet.